Wood burning heater Harvia Pro 26 black

WKPR26M

Harvia Pro 26 wood-burning heater is suitable for medium-sized saunas. The Pro 26 heats up quickly and gives the sauna enthusiast a blazing hot sauna experience. The cast-iron glass hatch creates atmosphere in the sauna. The model has adjustable feet for easy installation that makes it easy to adjust the height of the chimney opening to the right height. The heater can be equipped with a separate chimney model water tank. The outer casing of the heater is painted graphite black.



Advantages

- Harvia's classic wood-burning heater for medium-sized saunas
- Efficient and fast source of hot and dry sauna bath
- The front and top of the heater and the ash box is made of stainless steel, which is easy to keep clean
- The blaze of the fire through the cast-iron glass hatch adds cozy atmosphere to the sauna
- Adjustable feet for easy installation
  Chimney openings on the top and back

Features

Main material : Steel

H x W x D : 810.0 x 430.0 x 510.0 mm

Net weight (kg) : 65.0

Stone amount (kg) : 50.0

ID	GTIN	Power	Sauna room size min - max m3
WKPR26M	6417659036535	26.6 kW	10.0-26.0



Spare parts


Product	ID	Pcs
Furnace grate	ZKIP-10	
Connection pipe	ZKIP-130	
Ashpan RST Pro	ZKIP-721	
Hinge pin	ZKIP-50	
Stove body (26)	ZH1-300	
Handle for stove + screws	ZKIP-670	
Handle and screws, Chrome	SPZKIP-670	1
Adjustable legs for LG150/SL	SPZKIP-918	1
Hinge pin	SPZKIP-50	1
Air flow spoiler Pro 2019	SPZROST-601	1
Ashtray black, sauna heaters	SP682	1
Connection pipe 200 mm	SPZKIP-130	1
Glass 184x210x4 mm Stoves 2006-, transparent	SPZTS-36	1
Stove door with glass (from 2006)	SP048	1
Cast-iron grating 135x290mm, sauna heaters	SPZKIP-10	1
Cap for smoke hole (Ø 75 mm)	SPZROB-430	1
Flue pipe connector	SPZROB-200	1
Blocking plug with screws	SPZROB-190	1

Technical details


Technical data	Type / attribute	WKPR26M
	Color	Black
	Power output	26.6 kW
	Stone sizes	Ø10–15 cm
	Stone amount (kg)	50
Dimensions	Product width	430
	Product height	810
	Product depth (mm)	510
	Net weight (kg)	65
	Gross weight	67
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	375
	Safety distance front (combustible materials)	375
	Safety distance right side (combustible materials)	375
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	375
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	375
	Safety distance (Ceiling)	1280
	Room min. height(depends on connections and therefore from output, star/delta)	2090


DATA SHEET
HARVIA WOOD BURNING HEATERS
HARVIA
Sauna & Spa

Technical images



	A (mm)
Pro 20	580
Pro 26	690
Pro 36	690
Linear 22	580
Linear 28	690



	(mm)					
	A	B	C n./ca	D n./ca	E n./ca	F n./ca
Pro 20	670	120	850	980	1410	1540
Pro 26	750	130	930	1070	1490	1630
Pro 36	750	130	930	1070	1490	1630
Linear 22	670	120	850	980	1410	1540
Linear 28	750	130	930	1070	1490	1630